Lateral

**SOP No: L- 008** 

**SOP Title: Hydro Excavation** 

SOP Number L- 008

SOP Title Hydro Excavation

|            | NAME                | TITLE             | SIGNATURE | DATE      |
|------------|---------------------|-------------------|-----------|-----------|
| Author     | Safety<br>Team      | Safety Department |           | 8/17/2016 |
| Reviewer   | Safety<br>Committee | Safety/Management |           | 8/17/2016 |
| Authorizer |                     |                   |           |           |

| SOP no. | Effective<br>Date | Significant Changes | Revision # | Revision Date |
|---------|-------------------|---------------------|------------|---------------|
| 800     |                   |                     | 0          |               |
|         |                   |                     |            |               |
|         |                   |                     |            |               |
|         |                   |                     |            |               |

**SOP No: L-008** 

**SOP Title: Hydro Excavation** 

### 1. PURPOSE

- This procedure is a guideline on the proper way to safely perform hydro excavation activities. Employees at BBGCI will use this as a guide to help them perform their duty in a safe and productive manner.
- BBGCI will be in compliance with all government regulations as well as the regulations set forth by our clients.

#### 2. INTRODUCTION

- BBGCI understands that all jobs are different. This SOP is set in place as a guideline to help employees understand the proper procedure to follow when performing hydro excavation activities.

### SCOPE

- This procedure has been set in place for BBGCI equipment operators and support personnel who will be conducting hydro excavation activities.

#### 4. **DEFINITIONS**

- <u>Hydro Excavation (Hydro Vac)</u>- a non-mechanical, non-destructive process that uses pressurized water and industrial strength vacuum to simultaneously excavate and evacuate soil.
- <u>Line of Fire-</u> The path of a moving object that can potentially injure or the potential path of an object that may move.
- <u>Buffer Zone</u>- The area where operation occurs, that is deemed not safe for unauthorized personnel or equipment.
- <u>DOT-</u> Department of Transportation

#### 5. RESPONSIBILITIES

#### Hydro Excavator Operator

- Participate in tailgate meeting and JSEA.
- 2. Understand the scope of work and the hazards involved in his/her specific job duty.
- 3. Maintain good communication with the supporting personnel at all times.
- 4. Ensure that the buffer zone is free of any unauthorized equipment or personnel at all times.
- 5. Properly inspect hydro vac truck and equipment for any non-conformities before use.
- 6. Ensure he/she has a valid CDL driver's license.
- 7. Ensure the hydro vac truck meets all DOT requirements.
- 8. Communicate with Line Locating Crew and Job Foreman to ensure the proper location is being hydro excavated.

**SOP No: L-008** 

**SOP Title: Hydro Excavation** 

### Supporting Personnel

- 1. Participate in tailgate meeting and JSEA.
- 2. Understand the scope of work and the hazards involved in his/her specific job duty.
- 3. Maintain good communication with the Hydro Excavator Operator at all times.
- 4. Ensure that the buffer zone is free of any unauthorized equipment or personnel at all times.

#### 6. SPECIFIC PROCEDURE

## **Hydro Excavation**

(Personnel Involved: Hydro Excavator Operator and Supporting Personnel)

- 1. Before work can commence, properly complete all JSEA's, work permits, safety tailgate meetings, and equipment inspections.
- 2. Equipment inspections will be completed by qualified personnel.
- 3. Establish the scope of work, and ensure everyone knows their specific job duty.
- 4. Spotter/Supporting Personnel will maintain a safe buffer zone and inform the operator that it is safe for work to commence.
- 5. Hydro Excavation Operator will position the hydro vac truck in the proper location.
- 6. Hydro Excavation Operator and Supporting Personnel will begin to hook up the hydro vac hose onto the hydro vac truck.
- 7. The hydro vac hose will then be positioned over the desired location.
- 8. After all proper PPE is implemented, they hydro excavation process will begin.

NOTE: At the end of the shift or if the hydro vac tank is filled, the hydro vac personnel will dump the muddy soil to a designated location.

#### 7. JOB RELATED HAZARDS

### Slips, Trips and Fall Hazards:

- Inspecting Equipment
- Climbing on and off equipment
- Walking on uneven surface or rocks
- Working around hydro vac hoses
- Working near open hole/trenches

#### Pinch Points and Line of Fire Hazards:

- Moving Equipment
- Walking in unauthorized work areas/buffer zones
- Working with pressurized water

#### STANDARD OPERATING PROCEDURE

Lateral

**SOP No: L-008** 

**SOP Title: Hydro Excavation** 

- Working with industrial vacuum
- Vehicles next to roadway

#### Noise Hazards:

- Working with and around hydro vac equipment

# 8. REQUIRED PPE

- Hard hat
- Safety Glasses
- Steel Toe Boots
- Gloves
- Face Shield
- Hearing Protection
- Fire Resistant Clothing (FRC's)
- Reflective Vest (When working next to roadway)
- Personal Gas Monitors (Site Specific)

### 9. FORMS/TEMPLATES TO BE USED

- JSEA
- Work Permits (If Required)
- Equipment Inspection Forms
- Client Required Forms
- Day Light Assurance Form (If Required)
- BBGCI Line Find Map
- Texas One Call

## 10. INTERNAL AND EXTERNAL REFERENCES

- 10.1 Internal References
- 10.2 External References
- 11. CHANGE HISTORY

# STANDARD OPERATING PROCEDURE

Lateral

**SOP No: L- 008** 

**SOP Title: Hydro Excavation**